SKYWORTH INTELLIGENT INTERACTIVE CONFERENCE SCREEN



Intelligent Interactive Conference Screen integrates Pen Input Technology, Touch Technology, Panel Display Technology, Network Technology and Office Software Technology together to upgrade the traditional display terminal into the man-machine interaction equipment with strong functions. It replaces the traditional projection, white board, sound equipment and curtain, presenting multiple functions with only one machine.





Features and Benefits/Uses:

- Sit back & Relax while watching your favorite TV Programs & Movies such as Netflix or Iflix and can also watch your Downloaded Movies from your USB flash drive
- Enjoy unlimited songs to choose from your favorite OPM, Pop Music, Mellow Songs & Alternative Love songs using Youtube/USB together with your loved ones & friends
- Can sing your favorite Karaoke Songs
- Can browse via Internet Explorer/Google Chrome such as: Youtube, Facebook, Instagram, Messenger, Twitter & other websites thru Wifi Connectivity or Bluetooth
- Hassle free to attend/settle a meeting when you can easily reach people with a 55"or 65" using Wide Screen Monitor thru virtual conference like Zoom, Google Meet, Messenger, Skype etc.
- Be a multitasker & impress your Boss by doing a great presentations using Microsoft Office such as: Word, Excel & PowerPoint
- Feel free to write whatever you want like you were writing on a whiteboard
- Be protected & free from any harm by viewing your Wide Screen Monitor that serves as your CCTV/Surveillance Camera
- Save money where you cannot ask for a Printed Banners when celebrating your special occasions where you can easily view the pictures/Videos thru USB flashdrives
- Can invite your friends by playing your favorite online games



SPECIFICATIONS:

PANEL SET	Product	Multimedia interactive AIO
	Model	65E91RD-DMM
	Color	Iron gray/Black
	Material	Aluminum (front) & Metal plate SPCC (rear)
LCD PANEL	Size	1650mm
	Backlight model	LED
	Viewing area	1428.48mm(H)×803.52mm(V)
	Resolution	3840(H)×2160(V)
	Luminance	350cd/m²
	Contract ratio	1200:1
	Viewing angle	89/89/89/89(L/R/U/D)
	Response time	6.5ms
TOUCH PANEL	Touch panel	Physical rigidization mohs 7 explosion proof
	Touch type	Infrared identification

Touch points	20 points touch
Touch resolution	32768*32768
Touch accuracy	More than 90% of the touch area is ±2mm
Anti light capability	The light irradiates the screen at all angles and can be used normally
Writing style	Finger, pen (any light-tight object >2mm in diameter)
Communication style	Full speed USB
Support System	Android/Win7/Win8/Win10
Maintenance	Front maintenance
Processor	Cortex A53*4 1.5GHz CPU and T720MP2 GPU
DDR	2G DDR3
Flash memory	8G EMMC5.0 nand flash
Android version	6.0
Network	Support cable network and WIFI
Input/output port:	Side terminal from top to bottom: RJ45*1,USB2.0*2,Touch USB*1,HDMI*1,HDMI*2,VGA*1,VGA AUDIO*1,EARPHONE*1,SD-card*1 Lower terminal:RS232*1, COAXIAL*1, Ypbpr*1,AV*1,AV OUT*1 Front terminal:HDMI*1, Touch USB*1,USB3.0*1, USB2.0*1,USB2.0*1
	Touch accuracy Anti light capability Writing style Communication style Support System Maintenance method Processor DDR Flash memory Android version Network Input/output

APPLICATIO	ON AND FEATURES	One-key switch function, external connection of one network cable to achieve dual system simultaneous Internet access, front-end 3-way USB tracking system for adaptive identification, adapt to fine pen, brush, writing at the same time to identify different colors, suspension shortcut tool menu, support one-key screenshot, automatic signal identification channel switch. Intelligent interactive conference screen integrates pen input technology, touch technology, panel display technology, network technology and office software technology together to upgrade the traditional display terminal into the man-machine interaction. equipment with strong functions and works with cellular phones, laptop and any other kinds of gadgets; It replaces the traditional projection, white board, sound equipment and curtain, presenting multiple functions with only one machine. Also, capable to download any other applications and Microsoft as well.
Voice	Speaker	Built-in speaker
	Power	10W × 2
Input voltage		AC 100 ~ 240 V 50/60 Hz
Power consumption		≤250W
Save electricity power consumption		< 0.5W
Net weight		46KG±2KG
Gross weight		57KG±2KG
Device size		1516 (L) *107 (T) *955 (H) mm
Packing size		1653*1087*256mm
Wall mount size		600mm*400mm
Using environment		Relative humidity ≤80 %
		Store humidity -10 ~ +61°C
		Using temperature 0 ~ +41°C

Interactive Panel Monitor



Accessories:

OPS

I3 4000M/4G/128GSSD

HDMI*1, VGA*1, miniDP*1,COM*1, USB2.0*2, USB3.0*4,LINE-OUT&MIC_IN*1, Ethernet*1,USB3.0

- I5 4200M/4G/128GSSD , HDMI*1 , VGA*1 , miniDP*1,COM*1 , US B2.0*2 , USB3.0*4,LINE-OUT&MIC_IN*1 , Ethernet*1,USB3.0
 - ➤ I5-6400 (2.7GHz), 4G+128G SSD, USB*6(USB3.0*3), DUAL antenna, HDMI*1, DP*1, VGA*1, LINE-OUT ^ MIC_IN*1, Ethernet*1
- I7-6700 (3.4GHz), OPS-C H110 PCH, 4G+128G SSD, USB*6 (USB3.0*3), Dual antenna, HDMI*1, DP*1, VGA*1, LINE-OUT&MIC_IN*1,



Ethernet port*1

Windows 10 System –
 English

Wireless Microphone

- 2.4G wireless omnidirectional mic
- size:155*148*37mm
 - net weight :340G,
 - > port: wireless USB2.0(compatible with USB1.1), 3.5mm audio jack



- ➤ USB2.0 HD CAMERA AUCTOPUS I-1200/1080P HD CAMERA
 - NW 465g
 - ➢ BLACK/1/2.8 "
 - Fixed focus,120° angle /104mmx139mmx124 mm
 - pixel:1920*1080p

Smart Pen

- 2.4G wireless connection technology
- Max wireless reception distance be up to 15 meters
 - Micro Nano Wireless receiver, driven driven by a single No.7 battery, designed with self-acting dormancy to save power







Support white board courseware, PPT, PDF, word and other formats for remote wireless page turning



No limitation for the OS, compatible with >Android, Windows, IOS, etc the main OS.



70 inch Mobile Stand
 4 caster wheels







Office Home & Student



Remote Control

Remote Control w/ Manual

Microsoft Installer

Word, Excel & PowerPoint

Bluetooth Dongle

➤ Bluetooth CSR 4.0

AV to HDMI

- > AV to HDMI
- ➤ w/ USB connector & user manual

RCA female to jack
➤ RCA female to jack



MINI AV TO BESSE

